PALM Intranet

Application Number

Submit

IDS Flag Clearance for Application 09891235

IDS Information

Content	Mailroom Date	Entry Number	IDS Review	Last Modified	Reviewer
M844	2003-10-31	13	Y	2003-12-02 07:43:08.0	cnorfleet
M844	2003-03-26	11	Y	2003-04-03 08:17:20.0	dwendemagegeh
M844	2002-05-22	9	Y	2002-05-29 12:50:23.0	dwendemagegeh
M844	2001-06-27	7	Y	2001-10-31 05:05:08.0	EXPO-CONV
Update					



Day: Wednesday Date: 11/8/2006 Time: 09:02:29

Continuity Information for 09/891235

Parent Data No Parent Data **Child Data** No Child Data Appln Info Contents Petition Info Atty/Agent Info Continuity/Reexam Foreign Data Inve Search Another: Application# Search or Patent# Search PCT/ Search or PG PUBS# Search **Attorney Docket #** Search Bar Code # Search

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page



Day: Wednesday Date: 11/8/2006 Time: 09:02:31

Foreign Information for 09/891235

Priority#	Date	Country
193644-2000	06/28/2000	JAPAN
Appln Info Contents Petition Info	Atty/Agent Info Continuity/F	Reexam Foreign Inventor
Search Another: Application#	Search or Patent#	Search
PCT /	Search or PG PUBS #	Search
Attorney Docket #	Search	
Bar Code #	Search	

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page



Day: Wednesday Date: 11/8/2006 Time: 09:02:36

Inventor Information for 09/891235

Inventor Name	City	State/Country
HOSOMI, TAKAHIRO	ТОКҮО	JAPAN
Appln Info Contents Petition Info Att	ty/Agent Info Cor	ntinuity/Reexam Foreign Data
Search Another: Application#	Search or Paten	t# Search
PCT / / Sear	or PG PUBS	S# Search
Attorney Docket #	Sea	rch
Bar Code #	Search	

To go back use Back button on your browser toolbar.

Back to $|\underline{PALM}|$ ASSIGNMENT | OASIS | Home page



Day: Wednesday Date: 11/8/2006 Time: 09:02:40

Inventor Name Search Result

Your Search was:

Last Name = HOSOMI First Name = TAKAHIRO

Application#	Patent#	Status	Date Filed	Title	Inventor Name
09734662	6756666	150		SURFACE MOUNT PACKAGE INCLUDING TERMINAL ON ITS SIDE	HOSOMI, TAKAHIRO
<u>09891235</u>	Not Issued	71		Spread spectrum communication system and method therefor	HOSOMI, TAKAHIRO
10020468	7103335	150		RECEIVER USED IN SPREAD SPECTRUM COMMUNICATION SYSTEM	HOSOMI, TAKAHIRO
10269978	Not Issued	71		Information terminal apparatus, communications method, and storage medium storing program therefor	HOSOMI, TAKAHIRO
10798307	Not Issued	30	03/12/2004	Wireless terminal device	HOSOMI, TAKAHIRO

Inventor Search Completed: No Records to Display.

Last Name

First Name

Search Another: Inventor

HOSOMI

TAKAHIRO

Search

To go back use Back button on your browser toolbar.

Back to $|\underline{PALM}|$ | $|\underline{ASSIGNMENT}|$ | $|\underline{OASIS}|$ | Home page



Day: Wednesday Date: 11/8/2006 Time: 09:04:24

Correspondence Address for 09/891235

Customer Number	Contact Information	Address	
Telephone: (202)672-5300 Fax: No Fax # E-Mail: No E-Mail Address		FOLEY AND LARDNER LLP SUITE 500 3000 K STREET NW WASHINGTON DC 20007	
Appln Info Contents	Petition Info Atty/Agent Info	Continuity/Reexam Foreign Data	
Search Another: App	lication# Search 0	or Patent# Search	
PCT /	/ Search or P	G PUBS # Search	
Attorn	ey Docket #	Search	
Bar C	ode # Search		

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page

RESULT LIST

1 result found in the Worldwide database for: **ep930721** as the publication number (Results are sorted by date of upload in database)

1 Telecommunications system with bandwidth agile receivers and transmitters

Inventor: LUCIDARME THIERRY (FR)

EC: H04B1/707; H04B7/26S4

Applicant: NORTEL MATRA CELLULAR (FR)

IPC: H04B1/707; H04B7/26; H04B1/707 (+3)

Publication info: **EP0930721** - 1999-07-21

Data supplied from the esp@cenet database - Worldwide

drjatorres@gmail.com | Search History | My Account | Sign out

Google

 Web
 Images
 Video
 News
 Maps
 more »

 "transmission power" "transmission band width
 Search
 Advanced Search Preferences

Web Results 1 - 6 of about 11 for "transmission power" "transmission band width" control "spread spectrum". (0

Did you mean: "transmission power" "transmission bandwidth" control "spread spectrum"

Communication method and apparatus in which transmission control ...

Therefore, it is difficult to change the **transmission band width**. ... with **control** data output from **transmission power control** circuits 316a, 316b, ... www.freepatentsonline.com/5896419.html - 85k - <u>Cached</u> - <u>Similar pages</u>

Receiving method and apparatus in which a demodulating status is ...

Therefore, it is possible to carry out the **control** for the **transmission power** which can suppress interference to another signal. ... www.freepatentsonline.com/6044106.html - 111k - <u>Cached</u> - <u>Similar pages</u> [<u>More results from www.freepatentsonline.com</u>]

EP1083694 Kishi european software patent - Code division multiple ... Thus, there is a problem that communication is impossible any longer, even with the strongest **transmission power** and the largest **transmission band width**. ... gauss.ffii.org/PatentView/EP1083694 - 162k - <u>Cached</u> - <u>Similar pages</u>

Coupling apparatus between coaxial cables and antenna system using ... A control of the changeover switchSW is performed by introducing a control line from the ... Data transmission within a spread-spectrum communication system ... www.patentgenius.com/patent/5557290.html - 89k - Cached - Similar pages

[PDF] Simulation Summary and Plan for second Phase of HDR Activity
File Format: PDF/Adobe Acrobat

The **transmission power** (TxPower) is calculated based on the FCC mask, and the **transmission band-width**. The simulations performed enable a better estimation ... www.pulsers.info/pulsers1-pub-dir/pulsers-d4b4.2-final.pdf - Similar pages

US Pregrant 20020001336 - Spread spectrum communication system and ... The spread spectrum communication system has control means for controlling a transmission band width and a transmission power of a counterpart equipment ... cxp.paterra.com/uspregrant20020001336.html - 11k - Supplemental Result - Cached - Similar pages

In order to show you the most relevant results, we have omitted some entries very similar to the 6 already displayed.

If you like, you can repeat the search with the omitted results included.

Did you mean to search for: <u>"transmission power" "transmission bandwidth" control "spread spectrum"</u>

Free! Speed up the web. Download the Google Web Accelerator.

Sponsored Links

Control bandwidth

Appliances from \$1650, optimize your internet, free white paper www.netequalizer.com

Bandwidth Manager Plugs right into any network. Very easy to use. www.PowerNOC.net "transmission power" "transmission I Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google

drjatorres@gmail.com | Search History | My Account | Sign out

Google

Web Images Video News Maps more »

Advanced Search "transmission power" "transmission bandwidth | Search Preferences

Web Results 1 - 10 of about 513 for "transmission power" "transmission bandwidth" control "spread spectrum".

Wireless Data Transmission in the Andes: Networking Merida State Called spread spectrum, it first found civilian applications as a short-reach ... Both techniques in effect exchange transmission power for bandwidth, ... www.isoc.org/inet99/proceedings/4d/4d 1.htm - 24k - Cached - Similar pages

[PDF] SINR Estimation for Power Control in Systems with Transmission ...

File Format: PDF/Adobe Acrobat

be, for example, battery lifetime, transmission bandwidth, or. caused interference. ...

Transmission power control is an important technique in ...

ieeexplore ieee org/iel5/4234/32466/01515658.pdf - Similar pages

[PDF] Ultra-wide Bandwidth Time-hopping Spread-spectrum Impulse Radio ...

File Format: PDF/Adobe Acrobat

transmission bandwidth means that this radio has the best, chance of penetrating materials ... tracking S-curve of the clock control loops can be accom- ...

ieeexplore.ieee.org/iel5/26/18291/00843135.pdf?arnumber=843135 - Similar pages

[More results from ieeexplore.ieee.org]

[PDF] Power Control Scheme for Systems with Transmission Beamforming

File Format: PDF/Adobe Acrobat - View as HTML

transmission bandwidth. In this paper an approach, towards a more efficient synthesis of

two ... transmission power control is an effective and necessary ...

control.hut.fi/.../03-CIIT-Power%20Control%20Scheme%20for%20Systems%20with%

20Transmission%20Beamforming.pdf - Similar pages

Interdigital - Technology & Products - Patents

APPARATUS FOR ADAPTIVE REVERSE POWER CONTROL FOR SPREAD-SPECTRUM COMMUNICATIONS, 6940840 ... ASYMMETRICAL FORWARD/REVERSE

TRANSMISSION BANDWIDTH, 6728225 ...

www.interdigital.com/tech_products_patents.jsp - 126k - Cached - Similar pages

T2RERC: Proceedings for the Stakeholder Forum on Hearing ...

Should have user selectable volume Control; Watertight (e.g. sealed membrane ... protocols such as spread spectrum which require significant electronics.) ... cosmos.buffalo.edu/t2rerc/pubs/forums/hearing/forum/fm/forum_data.htm - 21k -Cached - Similar pages

Communication satellite system having an increased power output ...

Spread spectrum systems also reduce the effect of the satellite or earth ... so as to achieve a power density of 6 dBW per 4 KHz of transmission bandwidth. ...

www.freepatentsonline.com/5208829.html - 40k - Cached - Similar pages

Adaptive cancellation of fixed interferers - Patent 6937879

Afterwards, the spread spectrum signal is modulated with an RF carrier ... However, signal frequencies within the transmission bandwidth contribute to the ... www.freepatentsonline.com/6937879.html - 56k - Cached - Similar pages

[PS] Measured Performance of a Wireless LAN

File Format: Adobe PostScript - View as Text

In direct-sequence spread-spectrum transmission, an. information signal of a certain bandwidth is spread over. a larger transmission bandwidth. ... pdos.csail.mit.edu/decouto/papers/duchamp92.ps - Similar pages

[PDF] 1 Lecture 2 Wireless Transmission (Cont.)

File Format: PDF/Adobe Acrobat - View as HTML

Spread spectrum technology. Spread the **transmission bandwidth** ... Also severe problem for CDMA-networks - precise power **control**. needed! ...

wwwhome.cs.utwente.nl/~heijenk/mwn/slides/Lecture-2%206%20slides%20per%

20page.pdf - Similar pages

Result Page:

1 <u>2</u> <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u>

Next

Free! Speed up the web. Download the Google Web Accelerator.

"transmission power" "transmission I Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google

SCIFUS for scientific information only

Find relevant results fast Checkyour idea is original Trackwho is alling you



Alboort Us

Mewercom

Advisory Coard

Submit Web Site

COLOR.

Controt Us

Basic Search

Advanced Search Search Preferences

			"transmission power" AND "transmission bandwidth" A Search	
			✓ Journal sources ✓ Preferred Web sources ✓ Other Web sources ☐ Exact phrase	
	Sear	ched for::	:All of the words: "transmission power" AND "transmission bandwidth" AND control A	ND "spread
		Found::	:62 total 0 journal results <u>54 preferred web results</u> <u>8 other web results</u>	
		Sort by::	:relevance date_	
	1.	<u> </u>	cked results Email checked results Export checked results utput 1999.05.25:1426 [PDF-71K]	Refine you using thes found in t
		•	as transmission bandwidth allocation. Power control in DS-	bit stream
			entralized hub or controller. Thus resourcedistributed control of	carrier frequ
			networks, the transmission power and dataobtain a transmission th of . Thus	cellular con
			from [http://www.comsoc.org/sac/private/1999/may/pdf/17sac05]	cellular syst
	2.		SPECTRUM COMMUNICATION SYSTEM WITH ADAPTIVE POWER CONTROL	code readei
		ORMOND 1994	PROYD, Richard, Frank, PATENT COOPERATION TREATY APPLICATION, Mar	communica
			ce spread-spectrum techniquesbe able to control the transmission power	data transn
		at least	the power control signals by adjusting its transmission power so that	frequency c
			when spread-spectrum techniquesvary its own transmission power levels	pending me
			when spread-spectrum techniqueshas direct control of the amount available at patent office. For more in-depth searching go to ClexisNexis	pilot signal programma
		view all 5	1 results from Patent Offices	spontaneou
		similar res	<u>sults</u>	wireless cor
	3.		ion to WCDMA [PDF-36K]	wireless ne
		Oct 2000	is enroad enactrum and where WCDMA newer control. Closed 2000 What	Or refine
		is Spread Spectrun	is spread spectrum and whereWCDMA power control · Closed2000 What I Spectrum ? · Transmission bandwidth is much largerWhere Does Spread n Come fromWCDMA Power Control f1 BS MS 3	All of the
		[http://www.similar.res	ww.comlab.hut.fi/opetus/238/lecture2Holma00102]	D 6
·				Refine
	4.		pectrum communication system ideshi, EUROPEAN PATENT, Nov 1997	
		and the	transmission power is set atwith the transmission power reduced	
			ing the transmission power by switchingthat its controller 3101	
			nat is, the transmission bandwidth by optimally available at patent office. For more in-depth searching go to LexisNexis-	
			1 results from Patent Offices	
		similar res		
	5.	Method fo classes	or power control in wireless networks for communicating multiple information	

"transmis	sion power" AND "transmission bandwidth" AND control AND "spread spectrum" resu Page 2 of 4
	Mitra, Debasis / Morrison, John A., EUROPEAN PATENT, Sep 1998Principles of Spread Spectrum CommunicationSelection and Power Control to Maximize Cellular Spread Spectrum Capacity", IEEEfor Uplink Power Control in Cellular Radiowireless terminal transmission power often produces Full text available at patent office. For more in-depth searching go to View all 51 results from Patent Offices Similar results
td	report.dvi [PDF-668K] Feb 200034 2.3.4 Power Control184 9.4.1 UFDMA Power Control Algorithm 1
	Programmable modem using spread spectrum communication Philips, Lieven / Vanhoof, Jan / Wouters, Maryse / De Wulf, Rick / Derudder, Veerle / Van Himbeek, Carl / Bolsens, Ivo / () / Gyselinckx, Bert, EUROPEAN PATENT APPLICATION, Apr 1997 Atmel offers for sale a chip set comprising a micro controller and a spread spectrum signal processor, AT48802. This spread spectrum signal processor comprises control functions for the demodulation and modulation of Full text available at patent office. For more in-depth searching go to LexisNexis- view all 51 results from Patent Offices similar results
Name	Novel Adaptive Power and Rate Control in Third GenerationWideband CDMA Mobile Systems Sadri, Ali Soheil, May 2000 Soheil Sadri: Novel Adaptive Power and Rate Control in Third Generation Wideband CDMA MobileDissertation proposes novel adaptive power control and rate change schemes and investigatespolicy similar to the traditional power control technique with thresholds except that Full text thesis available via NDLTD view all 3 results from NDLTD similar results
<u> </u>	Grouping Wireless Picocells to build a [PDF-299K] Aug 2000 Grouping Wireless Picocells to build a Local Area Wireless Infrastructure Fast and efficient Local Mobility Management and Range Extension DiplIng. Jost Weinmiller A Thesis submitted in partial Fulfillment of the Requirements for the Degree of Doctor of Engineering (DrIng. [http://edocs.tu-berlin.de/diss/2000/weinmiller_jost.pd] similar results
- Comment	MULTI-BAND, MULTI-MODE SPREAD-SPECTRUM COMMUNICATION SYSTEM SMITH, Douglas G. / DIXON, Robert C. / VANDERPOOL, Jeffrey S., PATENT COOPERATION TREATY APPLICATION, Feb 1996band onto which spread-spectrum signals are encodedenvironment or other control trigger, suchin R. Dixon, SPREAD-SPECTRUM SYSTEMS (2d edantenna 109, a mode controller 103, a mode selectgenerator 107, a spread-spectrum modulator 111 Full text available at patent office. For more in-depth searching go to LexisNexis- view all 51 results from Patent Offices similar results
	Distributed resource allocation for DS-CDMA-based multimedia wireless LANs Lal, Sanjay, Jan 19972.6 Spread Spectrum Modelling 23The Cornrnon control channel (CCCH3.5 Control Message Formats59 5.2.1.1 Spread Spectrum ModellingAverage Maximum Transmission Power vs.Network Load Full text thesis available via NDLTD

"transmis	sion power" AND "transmission bandwidth" AND control AND "spread spectrum" resu Page 3 of 4
	view all 3 results from NDLTD similar results
12.	Method for power control in wireless networks for communicating multiple information
	Classes Mitra, Debasis / Morrison, John A., UNITED STATES PATENT AND TRADEMARK OFFICE GRANTED PATENT, Mar 1998wireless terminal transmission power setting methodsfor example, spread spectrum digital communicationsadvantageously low signal transmission power settings forclass i, and the spread spectrum transmission bandwidth, respectively Full text available at patent office. For more in-depth searching go to view all 51 results from Patent Offices similar results
□ 13.	Telecommunications system with bandwidth agile receivers and transmitters Lucidarme, Thierry, EUROPEAN PATENT APPLICATION, Jul 1999relate to spread spectrum systems inand power control of the mobilesame time the transmission power may also bewhich the transmission bandwidth is narrow and optionally the transmission power may be low Full text available at patent office. For more in-depth searching go to LexisNexistory view all 51 results from Patent Offices
	similar results
14.	Chapter 2 [PDF-466K] Mar 2000addition, the API supported by the group service enables the developer to control group propagation strategies, e.g. group quorum. This allows the trade-off149 7.3.1 Concurrency Control . [http://www.comp.lancs.ac.uk/computing/users/kc/Papers/] similar results
15.	A COMMON POWER CONTROL CHANNEL IN A CDMA SYSTEM AND A SYSTEM AND METHOD FOR USING SUCH A CHANNEL GUTIERREZ, Alberto / GHALEB, Ibrahem / TONG, Wen, PATENT COOPERATION TREATY APPLICATION, Dec 2000 relates to the power control of transmissions ontransmissions to estimate the transmission power to use for reverse linktransmissions (open loop power control). Based upon its estimate of the transmission power, the MS sends a transmission Full text available at patent office. For more in-depth searching go to LexisNexis- view all 51 results from Patent Offices similar results
☐ 16.	No Title [PDF-87K] Jun 1996meters), with a transmission power of 10 mW orfrequency-hopped spread spectrum (FH/SS) techniquestechniques such as spread spectrum and divermuch wider transmission bandwidth . In a synchronoussynchronization, control , and input [http://www.icsl.ucla.edu/aagroup/PDF_files/tcvr-arch.p] similar results
	METHOD AND APPARATUS FOR RAPID ASSIGNMENT OF A TRAFFIC CHANNEL IN DIGITAL CELLULAR COMMUNICATION SYSTEMS BENDER, Paul E. / GROB, Matthew S. / KARMI, Gadi, PATENT COOPERATION TREATY APPLICATION, Mar 2000Mode Wideband Spread Spectrum Cellular Systema base station controller (BSQ. The BSCchannels, and transmission bandwidth (which is requiredand for power control even when no datauser terminal's transmission power can vary greatly, it is important to control the power of the Full text available at patent office. For more in-depth searching go to LexisNexisview all 51 results from Patent Offices
	similar results

"transmissio	on power" AND "transmission bandwidth" AND control AND "spi	read spectrum" resu	Page 4 of 4
 s; (F p ([t	Vireless Data Transmission in the Andes: Networking Merida State on 1999 Itransmission control protocolprices. Called spread spectrum pread spectrum (DSSS) andfrequency hopping spread spectresaugmenting the transmission bandwidth. Althoughexcover for bandwidth http://www.isoc.org/inet99/proceedings/4d/4d_1.htm] milar results	, it firstsequence	
P. 20 se Th po Fi	N SEQUENCE IDENTIFYING DEVICE IN CDMA COMMUNICATION S ARK, Su-Won / LEE, Hyun-Kyu, PATENT COOPERATION TREAT 000 .generally to a spread spectrum device ina larger transmissicencean-iplifies the transmission power of the primary228, and an	Y APPLICATION, Mar on bandwidth, and and a controller 226. fies the transmission	1
M G sj tr V <u>v</u> i	pread spectrum communication system furai, Hideshi, Tokyo, JP, UNITED STATES PATENT AND TRADEL RANTED PATENT, Oct 1999 .embodiments of the spread spectrum communicationconfigur pectrum communicationmobile station, control data and trans ransmission power per bit also1220 in the spread spectrum ull text available at patent office. For more in-depth search ew all 51 results from Patent Offices milar results	ration of a spread mittedcoincide, the communication	ś·
	Sponsored links Control User Bandwidth Bandwidth Control & Qos Management Protect host from Interthreat. www.Cyberoam.com	net	
	ii.	:fast	
Resu	Ilts Pages: [<< Prev] 1 <u>2 3 4 [Next >>]</u>	back	to top

Powered by FAST © Elsevier 2006

for scientific information only

scirus 4	▼ Search) ▼ Ø Pop-up Blocker OFF	O Highlight

ADOUG US

Advisory Board Submit Web Site (COD)

Contact Us

Basic Search


MOONEWEIN

Advanced Search Preferences

		"transmission p	ower" AND "transmiss	ion bandwidth" A	Search	
		✓ Journal sources	✓ Preferred Web source	es 🗹 Other Web sourc	ces Exact phrase	
Searc	ched for::	:All of the words:	'transmission power" A	ND "transmission ba	ndwidth" AND control A	ND "spread
	Found::	:62 total 0 jour	nal results <u>54 preferr</u>	ed web results 8 ot	her web results	
	Sort by::	:relevance <u>date</u>	<u>a</u>			
	Save che	cked results	Email checked results	Export checked re	esults •	Refine you
_ 21.			n system using premis	ses, peripheral and	vehicular local area	using the
		Ronald / West	, Guy / Bunte, Alan , ITED PATENT, Sep 199		TENT AND	bit stream
			power spread-spect :		ping	carrier freq cellular com
			01 generated by a Co			cellular sys
			self. The Control Poin) data framing. Each		standard high-level	code divisio
		•			ng go to CLexisNexis	
	view all 5	1 results from Pa		•		communica
	similar re	sults				data transn
22.			MODE RESERVATION	IN A CODE DIVISION	ON MULTIPLE ACCESS	frequency o
		S COMMUNICATION PA	<u>ON SYSTEM</u> TENT COOPERATION 1	TDEATY ADDITIONTION	·	pending me
		-	ol and operationdire			pilot signal
			spectrum signals are			programma
			mate the transmissio		reverse ng go to ಠ LexisNexis	spontaneou
		1 results from Pa		: III-deptii searciii	ing go to Considering	wireless co
	similar re	sults				wireless ne
23.	Coexisting	communication	systems			Or refine
_	PATENT A	ND TRADEMARK	<mark>/ Dixon, Robert C. /</mark> OFFICE GRANTED PAT	<i>ENT</i> , Oct 2000		All of the
			ting spread spectrun			Define
			ectrum communication ch cell 103 a spread-s			Refine
					ng go to © LexisNexis	
	view all 5	1 results from Pa		•		
	similar re	<u>sults</u>				
24.				communication sys	stems in multiuser and	
		fading environm ai, Annamalai,				
			the quality of service	over the wireless n	ietwork are	
	investigat	ed: diversity rec	eption and adaptive er	ror control scheme	es. Owing to the	
	arowing in	nterest in wireles	s co~~llllunications.th	e importanceof exa	ct theoretical analysis	

"transmis	ssion power" AND "transmission bandwidth" AND control AND "spread spectrum" resu Page 2 of 5
	of such systems Full text thesis available via NDLTD view all 3 results from NDLTD similar results
 25.	SYSTEM AND METHOD FOR POSITIONING A MOBILE STATION IN A CDMA CELLULAR SYSTEM KARLSSON, Jonas / OVESJÖ, Fredrik, EUROPEAN PATENT, Aug 2000wideband or spread-spectrum signal whichthe strong transmission power from thedifferent transmission power levels. Totransmit a control signal whichWideband Spread Spectrum Cellular1.23 MHZ transmission bandwidth. The forward Full text available at patent office. For more in-depth searching go to LexisNexis-view all 51 results from Patent Offices similar results
26.	Cellular communication system with dynamically modified data transmission parameters Trompower, Michael L. / Struhsaker, Paul F., UNITED STATES PATENT AND TRADEMARK OFFICE GRANTED PATENT, Apr 2000IBM RS/6000. A network controller 220 may also be wired to the backbone 260 to control the flow of data betweenbackbone 260. The network controller 220 may communicateusing Direct Sequence Spread Spectrum (DSSS) wireless communication Full text available at patent office. For more in-depth searching go to LexisNexistries all 51 results from Patent Offices similar results
□ 27.	CELLULAR COMMUNICATION SYSTEM WITH DYNAMICALLY MODIFIED DATA TRANSMISSION PARAMETERS TROMPOWER, Michael L. / STRUHSAKER, Paul F., PATENT COOPERATION TREATY APPLICATION, Mar 1998sequence spread spectrum cellularwith the transmission power of the stationlimit the transmission power of transmittersrates, etc. A spread spectrum (SS) communicationsystem, the transmission bandwidth required Full text available at patent office. For more in-depth searching go to view all 51 results from Patent Offices similar results
28.	Hierarchical communications system using microlink, data rate switching, frequency hopping and vehicular local area networking Mahany, Ronald L., UNITED STATES PATENT AND TRADEMARK OFFICE GRANTED PATENT, Dec 1997device (20) utilizes spread spectrum frequency hopping communication and is controlled by a reservation accessHigh-Level Data Link Control Flags, consisting ofHigh-Level Data Link Control NRZ-I data is run-length-limitedand direct sequence spread spectrum systems. The consistent Full text available at patent office. For more in-depth searching go to LexisNexisties all 51 results from Patent Offices similar results
29.	ADAPTIVE CANCELLATION OF FIXED INTERFERES MESECHER, David K. / OZLUTURK, Fatih M., PATENT COOPERATION TREATY APPLICATION, Sep 1999the entire transmission bandwidth or spectrumAfterwards, the spread spectrum signal iswithin the transmission bandwidth contributethe same transmission bandwidth used by theincrease their transmission power exacerbating Full text available at patent office. For more in-depth searching go to view all 51 results from Patent Offices similar results
30.	Hierarchical communication system using premises, peripheral and vehicular local area networking Mahany, Ronald L. / West, Guy J. / Bunte, Alan G., UNITED STATES PATENT AND

"transmis	sion power" AND "transmission bandwidth" AND control AND "spread spectrum" resu Page 3 of 5
	TRADEMARK OFFICE GRANTED PATENT, Aug 1997utilizes relatively higher-power spread-spectrum frequency-hopping communicationheader 201 generated by a Control Point ("CP") device of a NEThopping sequence itself. The Control Point device is generallystandard high-level data link control ("HDLC") data framing. Each Full text available at patent office. For more in-depth searching go to view all 51 results from Patent Offices similar results
□ 31.	PREMISES, PERIPHERAL AND VEHICULAR LOCAL AREA NETWORKING MAHANY, Ronald L. / WEST, Guy J. / BUNTE, Alan G., PATENT COOPERATION TREATY APPLICATION, Nov 1994barriers, wasted transmission power by portablefrequency hopping spread spectrum network. Frequencyoperated using spread spectrum technologyhelp conserve transmission power usage. A stillutilizing spread spectrum frequency Full text available at patent office. For more in-depth searching go to LexisNexis- view all 51 results from Patent Offices similar results
□ 32.	Cellular communication system with dynamically modified data transmission parameters Trompower, Michael / Struhsaker, Paul / Grim, George / Holt, James / Paulsen, Victor, UNITED STATES PATENT AND TRADEMARK OFFICE GRANTED PATENT, Sep 1999wired to the backbone 260. The network controller 220 may communicate with the componentsa packet format 300 (FIG. 3) using Spread Spectrum wireless communication techniquesembodiment describes a Direct Sequence Spread Spectrum (DSSS), a frequency hopping system Full text available at patent office. For more in-depth searching go to LexisNexistation results
33.	Programmable modem apparatus for transmitting and receiving digital data, design method and use method for said modem Philips, Lieven / Vanhoof, Jan / Wouters, Maryse / De Wulf, Rik / Derudder, Veerle / Himbeeck, Carl / Bolsens, Ivo / () / Gyselinckx, Bert, UNITED STATES PATENT AND TRADEMARK OFFICE GRANTED PATENT, Feb 1999up-converter 210, which has a numerically controlled oscillator (NCO) 230 which operates intransmitter subsystem 1000 further has a gain control 227, which receives input data from adown converter 212 has a numerically controlled oscillator 232, which also operates by Full text available at patent office. For more in-depth searching go to LexisNexistry view all 51 results from Patent Offices similar results
☐ 34.	CELLULAR COMMUNICATION SYSTEM WITH DYNAMICALLY MODIFIED DATA TRANSMISSION PARAMETERS TROMPOWER, Michael L. / STRUHSAKER, Paul F. / GRIM, George, L., III / HOLT, James K. / PAULSEN, Victor K., PATENT COOPERATION TREATY APPLICATION, Jun 1997sequence spread spectrum cellularis due to transmission power restrictionsoften involve spread spectrum (SS) technologysystem, the transmission bandwidth requiredsequence spread spectrum (IDSSS) system Full text available at patent office. For more in-depth searching go to View all 51 results from Patent Offices similar results
35.	COEXISTING COMMUNICATION SYSTEMS KETSEOGLOU, Thomas J. / DIXON, Robert C. / MASENTEN, Wesley, PATENT COOPERATION TREATY APPLICATION, May 1997 the coexistence of a spread spectrum TDMA communicationprotocol utilizing spread spectrum techniques. The TDDthe TDD protocol, spread spectrum communication maytransaction. A separate control channel is provided Full text available at patent office. For more in-depth searching go to CexisNexis



"transmission power" AND "transmission bandwidth" AND control AND "spread spectrum" resu... Page 5 of 5

www.Cyberoam.com

Control Your Bandwidth. Try Our Free Internet Speed Test. Free Download, Upload, & Ping Tests www.PCpitstop.com

..:fast

Results Pages: [<< Prev] 1 2 3 4 [Next >>]

back to top

Downloads | Subscribe to News Updates | User Feedback | Advertising Tell A Friend | Terms Of Service | Privacy Policy | Legal

Powered by FAST © Elsevier 2006

"transmission power" AND "transmission band width" AND control AND "spread spectrum" res... Page 1 of 3

Submit Web Site

for scientific information only

SCITUS	▼ (Search) ▼	locker OFF Q Highlight
		-

(COL)

MOOTEWELL

Advisory Board

About Us

Advanced Search Preferences

eon formoo

	Basic Search		Adva	Advanced Search Preferences			
			AND "transmission band		Search		
		✓ Journal sources ✓ Pr	referred Web sources 🗹 Othe	r Web sources	☐ Exact phrase		
Sea	rched for::	:All of the words:"trans	mission power" AND "transı	mission band	width" AND control A	ND "spreac	
	Found::	:10 total 0 journal re	sults 9 preferred web res	ults 1 other	web results		
	Sort by::	:relevance <u>date</u>					
	1		checked results Export	checked result	ts•	Refine you using thes	
	Aug 2000 lineariz ireless, D Networks System (tation techniques, DSP bigital and Spread Spe s, and Network Control Control and Communic wc.ucsd.edu/pdfs/2000	•	LON ORLITSK	YOptical	found in t analog-to-d converter band-pass 1 frequency c frequency s output sign	
□ 2	Kuroyan Ozawa, Yasukav 1999 realized communi spread-s	sagi, Noriyoshi / Suel Satoru / Shibatani, N va, Kazuyuki, Fuji Ele d through spread-spe cationsresult, the tra spectrum communicat	r interference control in a hiro, Naoki / Otake, Kohlasao / Kondo, Shiro, Foetric Co., Ltd.,, EUROPEA ectrum modulationArt) insmission power per unionsdetected. The controlfice. For more in-deptifices	hei / Matsuf uji Electric C AN PATENT A In the sprea nit frequency. ol signal gen	duji, Shinya / Co., Ltd., / PPLICATION, Dec d-spectrumsystem for the erated	random phasubcarriers waveform Or refine All of the	
<u> </u>	similar remains similar remains suzuki, GRANTEL orthogotransmiss adjust a full text	esults ication method and applis selected based on a comment of the selected based on a comment of the selected based on a comment of the selected base system. Specification band (one bandthe transmission output. The savailable at patent of the selected base of the selected base of the selected base of the selected base of the selected based on th	paratus in which transmiss detected signal quality from UNITED STATES PATENT And Its in the transmission amplifier the control in transmission office. For more in-deption	m a decoder AND TRADEM band width 50 is control output is car	ARK OFFICE of one lied to thereby ried		
4	similar re Receiving Suzuki, frequer change the control of	method and receiving Mitsuhiro, EUROPEAN acy band owing to the same transmission band		ansmits signa r will…transm	nission state. Then,		

"transmission power" AND "transmission band width" AND control AND "spread spectrum" res... Page 2 of 3 Full text available at patent office. For more in-depth searching go to CLexisNexisview all 9 results from Patent Offices similar results 5. Communication method and communication apparatus Suzuki, Mitsuhiro, EUROPEAN PATENT, Dec 1997 ...owing to the spread spectrum, and transmits...change the transmission band width. The above...response in control of the transmission power is disadvantageously...Specifically, the transmission band width of one transmission... Full text available at patent office. For more in-depth searching go to LexisNexisview all 9 results from Patent Offices similar results 6. Transmission apparatus using a multi-carrier signal with allocation of subcarriers Suzuki, Mitsuhiro, EUROPEAN PATENT APPLICATION, Dec 1997 ...whole frequency band owing to the spread spectrum, and transmits signals to respective...Therefore, it is difficult to change the transmission band width. The above matter will be described...orthogonal base system. Specifically, the transmission band width of one transmission band (one band... Full text available at patent office. For more in-depth searching go to CLexisNexisview all 9 results from Patent Offices similar results 7. Multiple access transmitting and receiving system employing multiplexing of multicarrier signals Suzuki, Mitsuhiro, EUROPEAN PATENT APPLICATION, Dec 1997 ...whole frequency band owing to the spread spectrum, and transmits signals to respective...Therefore, it is difficult to change the transmission band width. The above matter will be described...orthogonal base system. Specifically, the transmission band width of one transmission band (one band... Full text available at patent office. For more in-depth searching go to ClexisNexisview all 9 results from Patent Offices similar results 8. Receiving method and apparatus in which a demodulating status is determined and a noise power is detected Suzuki, Mitsuhiro, Chiba, JP, UNITED STATES PATENT AND TRADEMARK OFFICE GRANTED PATENT, Mar 2000 ...orthogonal base system. That is, the **transmission band width** of one transmission band (one band...the transmission amplifier 50 is controlled to thereby adjust a transmission output. The control in transmission output is carried... Full text available at patent office. For more in-depth searching go to LexisNexisview all 9 results from Patent Offices similar results 9. Communications method, communication apparatus, reception method, and reception Suzuki, Mitsuhiro, Chiba, JP, UNITED STATES PATENT AND TRADEMARK OFFICE GRANTED PATENT, Oct 1999 ...orthogonal base system. Specifically, the transmission band width of one transmission band (one band...the transmission amplifier 50 is controlled to thereby adjust a transmission output. The control in transmission output is carried... Full text available at patent office. For more in-depth searching go to CLexisNexisview all 9 results from Patent Offices similar results 10. Communication system, including transmitting and receiving apparatus using a multicarrier signal Suzuki, Mitsuhiro, UNITED STATES PATENT AND TRADEMARK OFFICE GRANTED PATENT, Oct 1999 ...orthogonal base system. Specifically, the transmission band width of one transmission band (one band...the transmission amplifier 50 is controlled to thereby adjust a transmission output. The control in transmission output is carried...

Full text available at patent office. For more in-depth searching go to LexisNexisview all 9 results from Patent Offices similar results

...fast

Downloads | Subscribe to News Updates | User Feedback | Advertising Tell A Friend | Terms Of Service | Privacy Policy | Legal

Powered by FAST © Elsevier 2006



Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPOF

Results for "((transmission power<in>metadata) <and> (transmission bandwidth<in>metadata) ..." Your search matched 0 documents.

e-mail 🖶 printer

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

Modify Search

New Search ((transmission power<in>metadata) <and> (transmission bandwidth<in>metadata)

Check to search only within this results set

IEEE Journal or **IEEE JNL**

Magazine

IEE Journal or Magazine **IEE JNL**

IEEE CNF IEEE Conference

Proceeding

IEE Conference Proceeding

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revisin

IEEE STD IEEE Standard

Help Contact Us Privacy & Security

Copyright 2006 IEEE - All Rights

indexed by ់ធ្វី Inspec

IEE CNF

» Key



Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPOF

Results for "((transmission power<in>metadata) <and> (transmission bandwidth<in>metadata) ..." Your search matched 0 documents.

☑e-mail 🚇 printer

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

Modify Search

» Search Options

View Session History

New Search

((transmission power<in>metadata) <and> (transmission bandwidth<in>metadata)

Check to search only within this results set

» Key IEEE JNL

IEEE Journal or

Magazine

IEE JNL

IEE Journal or Magazine

IEEE CNF IEEE Conference

IEE CNF

Proceeding

IEE Conference Proceeding

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revisin

IEEE STD IEEE Standard

Help Contact Us Privacy & Security

© Copyright 2006 IEEE - All Rights

Indexed by 回 Inspec®



Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPOF

Results for "((transmission bandwidth<in>metadata) <and> (cdma<in>metadata))" Your search matched 17 of 1430374 documents.

☑e-mail 🚇 printer

» Search Options

View Session History

New Search

» Key

IEEE Journal or **IEEE JNL**

Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference

Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Modify Search

view selected items

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

((transmission bandwidth<in>metadata) <and> (cdma<in>metadata))

Search >

Check to search only within this results set

1. Band-limited DS-CDMA using exponentially weighted despreading sequence

Huang, Y.; Tung-Sang Ng;

Electronics Letters

Volume 34, Issue 6, 19 March 1998 Page(s):515 - 517

Select All Deselect All

AbstractPlus | Full Text: PDF(324 KB) IEE JNL

2. Performance of orthogonal multicarrier CDMA in a multipath fading channel

Sourour, E.A.; Nakagawa, M.;

Communications, IEEE Transactions on

Volume 44, Issue 3, March 1996 Page(s):356 - 367

Digital Object Identifier 10.1109/26.486330

AbstractPlus | References | Full Text: PDF(1140 KB) | IEEE JNL

Rights and Permissions

3. Bandwidth-constrained signature waveforms and Walsh signal space receivers for ___ synchronous CDMA systems

Nguyen, H.H.; Shwedyk, E.;

Communications, IEEE Transactions on

Volume 50, Issue 7, July 2002 Page(s):1137 - 1149

Digital Object Identifier 10.1109/TCOMM.2002.800809

AbstractPlus | References | Full Text: PDF(542 KB) | IEEE JNL

Rights and Permissions

4. Performance of multicarrier CS/CDMA in frequency-selective Rayleigh fading chan Г

KwanWoong Ryu; JinOk Park; YongWan Park;

Vehicular Technology Conference, 2003. VTC 2003-Spring. The 57th IEEE Semiannual

Volume 2, 22-25 April 2003 Page(s):1258 - 1262 vol.2

Digital Object Identifier 10.1109/VETECS.2003.1207829

AbstractPlus | Full Text: PDF(365 KB) | IEEE CNF

Rights and Permissions

Г

5. Multicode CDMA downlink in shadowed multipath fading

Bircan, A.; Sunay, M.O.; Akansu, A.N.;

Communications, 2001. ICC 2001. IEEE International Conference on

Volume 2, 11-14 June 2001 Page(s):462 - 466 vol.2

Digital Object Identifier 10.1109/ICC.2001.936983

AbstractPlus | Full Text: PDF(380 KB) IEEE CNF

Rights and Permissions

BER performance of WDM channels spectrally overlaid with ultrashort pulse CDM/

signals in a hybrid optical WDM-CDMA system

Shen, S.; Weiner, A.M.;

Lasers and Electro-Optics, 2000. (CLEO 2000). Conference on

7-12 May 2000 Page(s):334 - 335

Digital Object Identifier 10.1109/CLEO.2000.907082

AbstractPlus | Full Text: PDF(160 KB) IEEE CNF

Rights and Permissions

7. Diversity considerations for MC-CDMA systems in mobile communications Γ

Schnell, M.; Kaiser, S.;

Spread Spectrum Techniques and Applications Proceedings, 1996., IEEE 4th Internation

Symposium on

Volume 1, 22-25 Sept. 1996 Page(s):131 - 135 vol.1

Digital Object Identifier 10.1109/ISSSTA.1996.563756

AbstractPlus | Full Text: PDF(476 KB) IEEE CNF

Rights and Permissions

8. Optimization of code rate and spreading factor for direct-sequence CDMA systems Г

Bickel, M.; Granzow, W.; Schramm, P.;

Spread Spectrum Techniques and Applications Proceedings, 1996., IEEE 4th Internation

Symposium on

Volume 2, 22-25 Sept. 1996 Page(s):585 - 589 vol.2

Digital Object Identifier 10.1109/ISSSTA.1996.563194

AbstractPlus | Full Text: PDF(520 KB) IEEE CNF

Rights and Permissions

9. Comparison of DS-CDMA and MC-CDMA techniques for dual-dispersive fading acc communication networks

Konstantakos, D.P.; Tsimenidis, C.C.; Adams, A.E.; Sharif, B.S.;

Communications, IEE Proceedings-

Volume 152, Issue 6, 9 Dec. 2005 Page(s):1031 - 1038

Digital Object Identifier 10.1049/ip-com:20041152

AbstractPlus | Full Text: PDF(490 KB) IEE JNL

10. Error-free detection of ultrashort-pulse CDMA signals in a hybrid optical WDM-CD Г system

Shen, S.; Weiner, A.M.;

Lasers and Electro-Optics, 2000. (CLEO 2000). Conference on

7-12 May 2000 Page(s):93 - 94

Digital Object Identifier 10.1109/CLEO.2000.906767

AbstractPlus | Full Text: PDF(180 KB) IEEE CNF

Rights and Permissions

11. Soft handoff technique for mobile multi-carrier CDMA systems

Atarashi, H.; Nakagawa, M.;

Information Theory. 1997. Proceedings., 1997 IEEE International Symposium on

29 June-4 July 1997 Page(s):124

Digital Object Identifier 10.1109/ISIT.1997.613039

AbstractPlus | Full Text: PDF(100 KB) | IEEE CNF

Rights and Permissions

Г 12. Narrowband waveform design for near-far resistant asynchronous CDMA communications

Zhang, X.; Brady, D.;

Military Communications Conference, 1994. MILCOM '94. Conference Record, 1994 IEE

2-5 Oct. 1994 Page(s):583 - 587 vol.2

Digital Object Identifier 10.1109/MILCOM.1994.473903

AbstractPlus | Full Text: PDF(472 KB) | IEEE CNF

Rights and Permissions

Г An adaptive canceller of cochannel interference for spread-spectrum multiple-acc communication networks in a power line

Kohno, R.; Imai, H.; Hatori, M.; Pasupathy, S.; Selected Areas in Communications, IEEE Journal on Volume 8, Issue 4, May 1990 Page(s):691 - 699 Digital Object Identifier 10.1109/49.54465

AbstractPlus | Full Text: PDF(692 KB) IEEE JNL Rights and Permissions

14. User identification for convolutionally/turbo-coded systems and its applications

Yimin Jiang; Feng-Wen Sun;

Communications, IEEE Transactions on

Volume 51, Issue 11, Nov. 2003 Page(s):1796 - 1808 Digital Object Identifier 10.1109/TCOMM.2003.818094

AbstractPlus | References | Full Text: PDF(745 KB) | IEEE JNL

Rights and Permissions

15. Comparison of different interblock data rate downlinks

Bircan, A.; Sunay, M.O.; Akansu, A.N.;

Global Telecommunications Conference, 2000. GLOBECOM '00, IEEE

Volume 1, 27 Nov.-1 Dec. 2000 Page(s):128 - 132 vol.1 Digital Object Identifier 10.1109/GLOCOM.2000.891719

AbstractPlus | Full Text: PDF(320 KB) IEEE CNF

Rights and Permissions

16. Interference mitigation in spread spectrum communications using blind source separation

Belouchrani, A.; Amin, M.G.; Chenshu Wang;

Signals, Systems and Computers, 1996. 1996 Conference Record of the Thirtieth Asilon

Conference on

Volume 1, 3-6 Nov. 1996 Page(s):718 - 722 vol.1

Digital Object Identifier 10.1109/ACSSC.1996.601143

AbstractPlus | Full Text: PDF(380 KB) IEEE CNF

Rights and Permissions

17. Error-correcting coding for CDMA systems

Viterbi, A.J.;

Spread Spectrum Techniques and Applications, 1994. IEEE ISSSTA '94., IEEE Third

International Symposium on

4-6 July 1994 Page(s):22 - 26 vol.1

Digital Object Identifier 10.1109/ISSSTA.1994.379620

AbstractPlus | Full Text: PDF(284 KB) IEEE CNF

Rights and Permissions

Help Contact Us Privacy & Security

© Copyright 2006 IEEE - All Rights





Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPOF

Results for "(((transmission bandwidth<in>metadata) <and>(cdma<in>metadata))) <and>..." Your search matched 12 of 1430374 documents.

e-mail 🖶 printer

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

New Search

Modify Search

(((transmission bandwidth<in>metadata) <and>(cdma<in>metadata))) <and>(py

Select All Deselect All

Check to search only within this results set

view selected items

» Key IEEE JNL

IEEE Journal or

Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF

IEEE Conference

Proceeding

IEE CNF IEE Conference

Proceeding

IEEE STD IEEE Standard

1. Band-limited DS-CDMA using exponentially weighted despreading sequence

Huang, Y.; Tung-Sang Ng;

Electronics Letters

Volume 34, Issue 6, 19 March 1998 Page(s):515 - 517

AbstractPlus | Full Text: PDF(324 KB) IEE JNL

2. Performance of orthogonal multicarrier CDMA in a multipath fading channel

Sourour, E.A.; Nakagawa, M.;

Communications, IEEE Transactions on

Volume 44, Issue 3, March 1996 Page(s):356 - 367

Digital Object Identifier 10.1109/26.486330

AbstractPlus | References | Full Text: PDF(1140 KB) | IEEE JNL

Rights and Permissions

3. BER performance of WDM channels spectrally overlaid with ultrashort pulse CDM,

signals in a hybrid optical WDM-CDMA system

Shen, S.; Weiner, A.M.;

Lasers and Electro-Optics, 2000. (CLEO 2000). Conference on

7-12 May 2000 Page(s):334 - 335

Digital Object Identifier 10.1109/CLEO.2000.907082

AbstractPlus | Full Text: PDF(160 KB) | IEEE CNF

Rights and Permissions

4. Diversity considerations for MC-CDMA systems in mobile communications

Schnell, M.; Kaiser, S.;

Spread Spectrum Techniques and Applications Proceedings, 1996., IEEE 4th Internation

Symposium on

Volume 1, 22-25 Sept. 1996 Page(s):131 - 135 vol.1

Digital Object Identifier 10.1109/ISSSTA.1996.563756

AbstractPlus | Full Text: PDF(476 KB) | IEEE CNF

Rights and Permissions

5. Optimization of code rate and spreading factor for direct-sequence CDMA systems

Bickel, M.; Granzow, W.; Schramm, P.;

Spread Spectrum Techniques and Applications Proceedings, 1996., IEEE 4th Internation

Symposium on

Volume 2, 22-25 Sept. 1996 Page(s):585 - 589 vol.2

Digital Object Identifier 10.1109/ISSSTA.1996.563194

AbstractPlus | Full Text: PDF(520 KB) IEEE CNF

Rights and Permissions

6. Error-free detection of ultrashort-pulse CDMA signals in a hybrid optical WDM-CDI Γ system

Shen, S.; Weiner, A.M.;

Lasers and Electro-Optics, 2000. (CLEO 2000). Conference on

7-12 May 2000 Page(s):93 - 94

Digital Object Identifier 10.1109/CLEO.2000.906767

AbstractPlus | Full Text: PDF(180 KB) IEEE CNF

Rights and Permissions

7. Soft handoff technique for mobile multi-carrier CDMA systems

Atarashi, H.; Nakagawa, M.;

Information Theory. 1997. Proceedings., 1997 IEEE International Symposium on

29 June-4 July 1997 Page(s):124

Digital Object Identifier 10.1109/ISIT.1997.613039

AbstractPlus | Full Text: PDF(100 KB) IEEE CNF

Rights and Permissions

8. Narrowband waveform design for near-far resistant asynchronous CDMA communications

Zhang, X.; Brady, D.;

Military Communications Conference, 1994. MILCOM '94. Conference Record, 1994 IEE

2-5 Oct. 1994 Page(s):583 - 587 vol.2

Digital Object Identifier 10.1109/MILCOM.1994.473903

AbstractPlus | Full Text: PDF(472 KB) IEEE CNF

Rights and Permissions

9. An adaptive canceller of cochannel interference for spread-spectrum multiple-acci communication networks in a power line

Kohno, R.; Imai, H.; Hatori, M.; Pasupathy, S.;

Selected Areas in Communications, IEEE Journal on

Volume 8, Issue 4, May 1990 Page(s):691 - 699

Digital Object Identifier 10.1109/49.54465

AbstractPlus | Full Text: PDF(692 KB) | IEEE JNL

Rights and Permissions

10. Comparison of different interblock data rate downlinks

Bircan, A.; Sunay, M.O.; Akansu, A.N.;

Global Telecommunications Conference, 2000. GLOBECOM '00. IEEE

Volume 1, 27 Nov.-1 Dec. 2000 Page(s):128 - 132 vol.1

Digital Object Identifier 10.1109/GLOCOM.2000.891719

AbstractPlus | Full Text: PDF(320 KB) IEEE CNF

Rights and Permissions

11. Interference mitigation in spread spectrum communications using blind source Г separation

Belouchrani, A.; Amin, M.G.; Chenshu Wang;

Signals, Systems and Computers, 1996. 1996 Conference Record of the Thirtieth Asilon

Conference on

Volume 1, 3-6 Nov. 1996 Page(s):718 - 722 vol.1

Digital Object Identifier 10.1109/ACSSC.1996.601143

AbstractPlus | Full Text: PDF(380 KB) IEEE CNF

Rights and Permissions

12. Error-correcting coding for CDMA systems Г

Viterbi, A.J.;

Spread Spectrum Techniques and Applications, 1994. IEEE ISSSTA '94., IEEE Third

International Symposium on

4-6 July 1994 Page(s):22 - 26 vol.1

Digital Object Identifier 10.1109/ISSSTA.1994.379620

AbstractPlus | Full Text: PDF(284 KB) IEEE CNF

Rights and Permissions

indexed by
ប៊ី Inspec*

Help Contact Us Privacy & Security © Copyright 2006 IEEE - All Rights



Welcome United States Patent and Trademark Office

□ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPOF

Results for "(((transmission band width<in>metadata) <and> (cdma<in>metadata))) <and&g..." Your search matched 0 documents.

Me-mail Aprinter

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

Modify Search

New Search

(((transmission band width<in>metadata) <and> (cdma<in>metadata))) <and> (p)

Check to search only within this results set

» Key

IEEE JNL

IEEE Journal or Magazine

IEE JNL

IEE Journal or Magazine

IEEE CNF

IEE CNF

IEEE Conference

Proceeding

IEE Conference Proceeding

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revisin

IEEE STD IEEE Standard

Help Contact Us Privacy & Security

© Copyright 2006 IEEE - All Rights

indexed by ig inspeci



Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPOF

Results for "(((transmission band width<in>metadata) <and> (spread spectrum<in>metadata))..." Your search matched 0 documents.

⊠e-mail 🖶 printer

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

Modify Search

New Search

(((transmission band width<in>metadata) <and>(spread spectrum<in>metadata)

Check to search only within this results set

» Key

Display Format:

© Citation C Citation & Abstract

IEEE JNL

IEEE Journal or

Magazine

IEEE STD IEEE Standard

IEE Journal or Magazine

IEE JNL

IEEE CNF

IEE CNF

IEEE Conference

Proceeding

IEE Conference

Proceeding

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revisin

Indexed by 🗓 Inspeci Help Contact Us Privacy & Security

© Copyright 2006 IEEE - All Rights



Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPOF

Results for "(((transmission bandwidth<in>metadata) <and> (spread spectrum<in>metadata)))..." Your search matched 21 of 1430374 documents.

☑e-mail 🚇 printer

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

New Search

» Key

IEEE Journal or IEEE JNL

Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference

Proceeding

IEE CNF IEE Conference

Proceeding

IEEE STD IEEE Standard

Modify Search

(((transmission bandwidth<in>metadata) <and>(spread spectrum<in>metadata))

Search >

Check to search only within this results set

1. Spread spectrum communications using chirp signals

Select All Deselect All

Springer, A.; Gugler, W.; Huemer, M.; Reindl, L.; Ruppel, C.C.W.; Weigel, R.;

EUROCOMM 2000. Information Systems for Enhanced Public Safety and Security.

IEEE/AFCEA

view selected items

17 May 2000 Page(s):166 - 170

Digital Object Identifier 10.1109/EURCOM.2000.874794

AbstractPlus | Full Text: PDF(396 KB) IEEE CNF

Rights and Permissions

2. Simulation and verification of a spread spectrum wireless LAN using SAW chirped Г

Gugler, W.; Huemer, M.; Springer, A.; Pohl, A.; Reindl, L.; Weigel, R.; Seifert, F.;

Spread Spectrum Techniques and Applications, 1998. Proceedings., 1998 IEEE 5th

International Symposium on

Volume 3, 2-4 Sept. 1998 Page(s):898 - 901 vol.3

Digital Object Identifier 10.1109/ISSSTA.1998.722508

AbstractPlus | Full Text: PDF(348 KB) IEEE CNF

Rights and Permissions

3. Design and verification of a SAW based chirp spread spectrum system

Huemer, M.; Pohl, A.; Gugler, W.; Springer, A.; Weigel, R.; Seifert, F.;

Microwave Symposium Digest, 1998 IEEE MTT-S International

Volume 1, 7-12 June 1998 Page(s):189 - 192 vol.1

Digital Object Identifier 10.1109/MWSYM.1998.689353

AbstractPlus | Full Text: PDF(264 KB) IEEE CNF

Rights and Permissions

4. Performance of orthogonal multicarrier CDMA in a multipath fading channel

Sourour, E.A.; Nakagawa, M.;

Communications, IEEE Transactions on

Volume 44, Issue 3, March 1996 Page(s):356 - 367

Digital Object Identifier 10.1109/26.486330

AbstractPlus | References | Full Text: PDF(1140 KB) IEEE JNL

Rights and Permissions

5. Linear receivers for spread spectrum communication over multipath dispersive ch

Clark, M.V.;

Г

Global Telecommunications Conference, 1999, GLOBECOM '99

Volume 1B, 1999 Page(s):837 - 841 vol. 1b

Digital Object Identifier 10.1109/GLOCOM.1999.830190

AbstractPlus | Full Text: PDF(412 KB) IEEE CNF

Rights and Permissions 6. Simulation of a SAW-based WLAN using chirp π/4 DQPSK modulation Gugler, W.; Springer, A.; Kupfer, H.P.; Weigel, R.; Ultrasonics Symposium, 1998. Proceedings., 1998 IEEE Volume 1, 5-8 Oct. 1998 Page(s):381 - 384 vol.1 Digital Object Identifier 10.1109/ULTSYM.1998.762170 AbstractPlus | Full Text: PDF(284 KB) IEEE CNF Rights and Permissions 7. Diversity considerations for MC-CDMA systems in mobile communications Schnell, M.; Kaiser, S.; Spread Spectrum Techniques and Applications Proceedings, 1996., IEEE 4th Internation Symposium on Volume 1, 22-25 Sept. 1996 Page(s):131 - 135 vol.1 Digital Object Identifier 10.1109/ISSSTA.1996.563756 AbstractPlus | Full Text: PDF(476 KB) IEEE CNF Rights and Permissions 8. Application of SAW devices on pulse position modulated spread spectrum Г communication system Hohkawa, K.; Suzuki, H.; Komine, K.; Qixin Huang; Spread Spectrum Techniques and Applications Proceedings, 1996., IEEE 4th Internation Symposium on Volume 2, 22-25 Sept. 1996 Page(s):735 - 739 vol.2 Digital Object Identifier 10.1109/ISSSTA.1996.563221 AbstractPlus | Full Text: PDF(532 KB) | IEEE CNF Rights and Permissions 9. A narrowband multi-ary FSK transmission principle using sampling function wave modulation Kuroyanagi, N.; Suehiro, N.; Ohtake, K.; Tomita, M.; Guo, L.; Spread Spectrum Techniques and Applications Proceedings, 1996., IEEE 4th Internation Symposium on Volume 2, 22-25 Sept. 1996 Page(s):898 - 902 vol.2 Digital Object Identifier 10.1109/ISSSTA.1996.563254 AbstractPlus | Full Text: PDF(380 KB) | IEEE CNF Rights and Permissions 10. Optimization of code rate and spreading factor for direct-sequence CDMA system: Г Bickel, M.; Granzow, W.; Schramm, P.; Spread Spectrum Techniques and Applications Proceedings, 1996., IEEE 4th Internation Symposium on Volume 2, 22-25 Sept. 1996 Page(s):585 - 589 vol.2 Digital Object Identifier 10.1109/ISSSTA.1996.563194 AbstractPlus | Full Text: PDF(520 KB) | IEEE CNF Rights and Permissions 11. Interference mitigation in spread spectrum communications using blind source Belouchrani, A.; Amin, M.G.; Chenshu Wang: Signals, Systems and Computers, 1996. 1996 Conference Record of the Thirtieth Asilon Conference on Volume 1, 3-6 Nov. 1996 Page(s):718 - 722 vol.1 Digital Object Identifier 10.1109/ACSSC.1996.601143 AbstractPlus | Full Text: PDF(380 KB) IEEE CNF Rights and Permissions

High processing gain, high data rate spread-spectrum signaling for wireless communications

Wong, A.; Leung, V.;

Technologies for Wireless Applications Digest, 1995., MTT-S Symposium on

20-22 Feb. 1995 Page(s):45 - 50

Digital Object Identifier 10.1109/MTTTWA.1995.512326

AbstractPlus | Full Text: PDF(308 KB) IEEE CNF

Rights and Permissions

13. Surface acoustic wave devices for pulse position modulated spread spectrum _ communication systems

Hohkawa, K.; Komine, K.; Araki, N.; Suzuki, H.;

Ultrasonics Symposium, 1995. Proceedings., 1995 IEEE

Volume 1, 7-10 Nov. 1995 Page(s):151 - 154 vol.1 Digital Object Identifier 10.1109/ULTSYM.1995.495559

AbstractPlus | Full Text: PDF(364 KB) IEEE CNF

Rights and Permissions

14. Signal processing for interference rejection in spread spectrum communications Г

Milstein, L.; Iltis, R.;

ASSP Magazine, IEEE [see also IEEE Signal Processing Magazine]

Volume 3, Issue 2, Part 1, Apr 1986 Page(s):18 - 31

AbstractPlus | Full Text: PDF(4824 KB) IEEE JNL

Rights and Permissions

15. An adaptive canceller of cochannel interference for spread-spectrum multiple-acc communication networks in a power line

Kohno, R.; Imai, H.; Hatori, M.; Pasupathy, S.;

Selected Areas in Communications, IEEE Journal on

Volume 8, Issue 4, May 1990 Page(s):691 - 699

Digital Object Identifier 10.1109/49.54465

AbstractPlus | Full Text: PDF(692 KB) | IEEE JNL

Rights and Permissions

16. Band-limited DS-CDMA using exponentially weighted despreading sequence

Huang, Y.; Tung-Sang Ng;

Electronics Letters

Volume 34, Issue 6, 19 March 1998 Page(s):515 - 517

AbstractPlus | Full Text: PDF(324 KB) | IEE JNL

17. Comparison of different interblock data rate downlinks

Bircan, A.; Sunay, M.O.; Akansu, A.N.;

Global Telecommunications Conference, 2000. GLOBECOM '00. IEEE

Volume 1, 27 Nov.-1 Dec. 2000 Page(s):128 - 132 vol.1

Digital Object Identifier 10.1109/GLOCOM.2000.891719

AbstractPlus | Full Text: PDF(320 KB) IEEE CNF

Rights and Permissions

18. Soft handoff technique for mobile multi-carrier CDMA systems

Atarashi, H.; Nakagawa, M.;

Information Theory, 1997. Proceedings., 1997 IEEE International Symposium on

29 June-4 July 1997 Page(s):124

Digital Object Identifier 10.1109/ISIT.1997.613039

AbstractPlus | Full Text: PDF(100 KB) | IEEE CNF

Rights and Permissions

19. A new pulse compression scheme applied to spread ALOHA in VSAT networks

Wei-Chun Wang; Scholtz, R.A.;

Signals, Systems and Computers, 1993. 1993 Conference Record of The Twenty-Sever

Asilomar Conference on

1-3 Nov. 1993 Page(s):920 - 924 vol.2

Digital Object Identifier 10.1109/ACSSC.1993.342435

AbstractPlus | Full Text: PDF(312 KB) | IEEE CNF

Rights and Permissions

20. A transmission bandwidth control scheme for DS/SS systems in the presence of h power periodical partial-band interference

Aoyagi, Y.; Kohno, R.; Imai, H.;

Global Telecommunications Conference, 1994. Communications Theory Mini-Conference

Record, 1994 IEEE GLOBECOM., IEEE 28 Nov.-2 Dec. 1994 Page(s):176 - 180

Digital Object Identifier 10.1109/CTMC.1994.512600

AbstractPlus | Full Text: PDF(352 KB) IEEE CNF

Rights and Permissions

21. Error-correcting coding for CDMA systems

Viterbi, A.J.;

Г

Spread Spectrum Techniques and Applications, 1994. IEEE ISSSTA '94., IEEE Third

International Symposium on

4-6 July 1994 Page(s):22 - 26 vol.1

Digital Object Identifier 10.1109/ISSSTA.1994.379620

AbstractPlus | Full Text: PDF(284 KB) IEEE CNF

Rights and Permissions

Help Contact Us Privacy & Security © Copyright 2006 IEEE - All Rights

